



Drylac<sup>®</sup>  
POWDER COATINGS

# Special Effects

Volume 6



# Replacing boredom and dullness with Special Effects oomph and vivacity

**Special Effects** color chart exhibits a collection of several lines of special effect finishes designed to provide a distinctive surface appearance while protecting the substrate from corrosion and other elements.

**Anodized Effect** is a line of super durable polyester TGIC-free AAMA 2604-compliant powder coatings developed to emulate anodized finishes. The finishes are formulated for aluminum extrusions, cast pieces and other ferrous and non-ferrous substrates. They are suitable for Corona and Tribo application equipment.

**Candy Transparent** is a range of transparent finishes with a candy effect. Colors displayed in this chart are representative of an aluminum substrate. Substrates such as steel, chrome and brushed aluminum are also suitable for top coating with this finish. To achieve an equal finish with other substrates, it is recommended to use a shiny metallic effect as basecoat, such as **Mirror Silver; TIGER Drylac® 49/91260, Kromezone; TIGER Drylac® 49/95001, Chrome OGF; TIGER Drylac® 49/91312 and Sparkle Silver; TIGER Drylac® 49/90450**. Candy Transparent finishes are suitable for Corona and Tribo application equipment. **Candy Transparent finishes provide limited hiding and have limited UV stability.**

**High Reflective** is a finish where highly reflective glass beads are suspended in a clear coat that can be applied over any color basecoat. This special effect finish is ideal for safety applications, highway and directional signage and for drawing attention to spot-lighted point-of-purchase fixtures where a light source is projected onto the finish. The unlimited basecoat choices make this a very customizable finish.

**Designer Finish** is a line developed with furniture and lighting designers in mind. These finishes provide a classical look in two and three-tone colors and textures simulating the oxidation of copper, natural rocks and stones. They are suitable for Corona application equipment.

**Dormant Transparent** flamboyant finish is obtained through the application of two coats. The effect will only evolve after the application of a clear top coat. Swatches in this chart were top-coated with **Clear Glossy; TIGER Drylac® 49/00530**. Additional eye-catching finishes can be achieved by using other **TIGER Drylac®** clear coats and clear glitters such as **Gold; TIGER Drylac® 49/00310, Silver; TIGER Drylac® 49/00320 and Twilight; TIGER Drylac® 49/00390**. These finishes are suitable for Corona application equipment. Best inter-coat adhesion is achieved by applying the base coat using Corona and the clear top coat using Tribo equipment.

**Fluorescent** finishes are available as single coat or 2-coat systems. In a 2-coat system, the Fluorescent powder coating must be applied over a smooth high gloss **White base coat; TIGER Drylac® 49/11000**. To achieve a custom-look, the Fluorescent finish can also be applied over **Mirror Silver; TIGER Drylac® 49/91260, Kromezone; TIGER Drylac® 49/95001 or Sparkle Silver; TIGER Drylac® 49/90450**. Fluorescent finishes are suitable for Corona and Tribo application equipment. **Single coat Fluorescent finishes provide limited hiding. Single-coat and 2-coat Fluorescent finishes have limited UV stability.**

**Hammertone** finish looks as if the surface was textured with a ball peen hammer. The undulated contrast created by the underlying base color adds ambiguity to the finish. To obtain an adequate film thickness in the valleys of the texture, minimum film thickness guidelines must be observed. Hammertone finishes are suitable for Corona application equipment.

**TIGER Drylac®** stock and custom-colors in Series 39 and Series 49; made in the USA and Canada, are periodically re-certified and carry the UL (Underwriter Laboratory) Recognized Component Mark (Spec DTOV2.MH16276 and Spec DTOV2.MH27573). This UL mark is for all equipment and products intended for the American and Canadian markets.



Underwriters Laboratories Inc.  
(UL) Recognition.

**Special Effects** powder coatings in this color chart include

<b>Interior and Exterior (non-architectural) applications</b>	Polyester TGIC	Series 39
	Polyester Urethane	Series 44
	Polyester TGIC	Series 49
	Polyester TGIC-free	Series 59
<b>Exterior (architectural) applications</b>	Polyester TGIC-free Super Durable	Series 61

Color swatches displayed in this chart have been matched to color standards at a 60-degree visual angle. They are to be considered as a representation only. In practice, discrepancy between the color swatch and the actual powder coating may arise. This is due to paper and ink limitations, the influence of light and heat during the color chart production, as well as gloss level, substrate, surface variations, binder systems and pigments, coating thickness and cure oven conditions used during application. For an accurate color and finish assessment, it is recommended to obtain a powder coated sample panel from **TIGER Drylac®**.

## THE AMERICAS

### BRAZIL

TIGER Drylac do Brasil Ltda.  
13295-000 ITUPEVA SP  
phone 55-11-44-96-53-27  
comercial@tiger-coatings.com

### CANADA

TIGER Drylac Canada Inc.  
Guelph, ON, N1G 4P5  
phone 1-800-243-8148  
customerservice.ca@tiger-coatings.com

Warehouse Alberta  
Calgary, AB, T2C 4Y7  
phone 1-800-243-8148  
customerservice.ca@tiger-coatings.com

Warehouse British Columbia  
Richmond, BC, V6W 1L8  
phone 1-800-243-8148  
customerservice.ca@tiger-coatings.com

### MEXICO

TIGER Drylac MEXICO S.A. DE C.V.  
Naucalpan, Estado de México, CP 53580  
phone 52-55-53-63-12-14  
tigeremexico@tiger-coatings.com

TIGER Drylac MEXICO S.A. DE C.V.  
San Luis Potosí, SLP, C.P. 78395  
phone 52-444-799-72-43  
tigeremexico@tiger-coatings.com

### U.S.A.

TIGER Drylac U.S.A., Inc.  
St. Charles, IL 60174  
phone 1-800-243-8148  
customerservice.us@tiger-coatings.us

TIGER Drylac U.S.A., Inc.  
Ontario, CA 91761  
phone 1-800-243-8148  
customerservice.us@tiger-coatings.us

Warehouse Texas  
Dallas, TX 75233  
phone 1-800-243-8148  
customerservice.us@tiger-coatings.us

Warehouse Georgia  
Jonesboro, GA 30236  
phone 1-800-243-8148  
customerservice.us@tiger-coatings.us

Warehouse Pennsylvania  
Reading, PA 19605  
phone 1-800-243-8148  
customerservice.us@tiger-coatings.us

## EUROPE

### AUSTRIA

TIGER Coatings GmbH & Co. KG  
4600 Wels  
phone 43-7242-400-0  
office@tiger-coatings.com

### BELARUS

ODO «Tehnocolor» Minsk  
220089 Minsk  
phone/fax 375-17-204-12-77  
tehnocolor@tut.by

### BENELUX

TIGER Coatings Belgium bvba  
3640 Kinrooi  
phone 32-89-70-00-16  
office.be@tiger-coatings.com  
office.nl@tiger-coatings.com

### BOSNIA & HERZEGOVINA

KLIO d.o.o.  
75300 Lukavac/Tuzla  
phone 387-35-541-300  
klio@klio.ba

### BULGARIA

Deyacolor LTD  
1113 Sofia 13 post box no. 265  
phone/fax 359-2-978-58-61  
phone 359-2-411-49-83  
office@deyacolor.com

### CROATIA

KLIO d.o.o.  
10360 Popovec/Sesvete  
phone 385-1-200-9041  
klio@klio.hr

### CZECH REPUBLIC

TIGERLAK, s.r.o.  
620 00 Brno  
phone 420-545-429-110  
office.cz@tiger-coatings.com

### FRANCE

TIGER S.A.R.L.  
69480 Anse  
phone 33-474-67-13-70  
office.fr@tiger-coatings.com

### GERMANY

KLOZ Kunststofftechnik GmbH  
70736 Fellbach-Oeffingen  
phone 49-711-95-19-80-32  
info@kkt.info

KLOZ Wickede  
58739 Wickede-Ruhr  
phone 49-2377-36-25  
wolfgang.gumpp@tiger-coatings.com  
w.gumpp@dkf-kloz.com

Jochen Hänel Handelsvertretung  
65239 Hochheim a. Main  
phone 49-6146-83-58-81  
jochen.haanel@tiger-coatings.com

Boris Herrmann Handelsvertretung  
57192 Bergkamen  
phone 49-231-23-07-261-15-71  
boris.herrmann@tiger-coatings.com

Thomas Leitzke Handelsvertretung  
41470 Neuss  
phone 49-2137-10-97-367  
thomas.leitzke@tiger-coatings.com

### GREAT BRITAIN

TIGER Coatings UK LTD  
Solihull, West Midlands, B93 9EG  
phone 44-1564-778-866  
office.gb@tiger-coatings.com

### HUNGARY

TIGERLAKK Kft.  
1183 Budapest  
phone 36-61-293-90-20  
office.hu@tiger-coatings.com

### ITALY

TIGER Drylac Italia s.r.l.  
24121 Bergamo  
phone 39-35-413-35-80  
office.it@tiger-coatings.com

### LITHUANIA, LATVIA

UAB „LAKMALIT“  
44299 Kaunas  
phone 370-7-32-37-41-32-34-95  
tiger@lakmalit.lt

### POLAND

Tensor Consulting  
04512 Warsaw  
phone 48-22-815-42-79  
office@tensor.com.pl

### RUSSIA

OOO Technokolor-M  
107370 Moscow  
phone 007-495-787-43-73  
sale@tehnocolor.ru

### SERBIA & MONTENEGRO

KLIO NS d.o.o.  
21000 Novi Sad  
phone 381-21-478-01-08  
klio\_ns@yahoo.com

### SLOVAKIA

TIGERLAK Slovakia spol.s r.o.  
902 01 Pezinok  
phone 421-33-640-00-71  
office.sk@tiger-coatings.com

### SLOVENIA

T-Lotus d.o.o.  
9240 Ljutomer  
phone 386-2-583-18-79  
kontakt@t-lotus.si

### SPAIN

TIGER Coatings Spain S.L.  
12003 Castellón de la Plana  
phone 34-964-050-309  
office.es@tiger-coatings.com

### SWEDEN

Kenneth Ahlm  
phone 46-72-565-80-99  
kenneth.ahlm@tiger-coatings.com

Henrik Nyström

phone 46-72-565-80-98  
henrik.nystrom@tiger-coatings.com

### SWITZERLAND

FEYCO AG  
9430 St. Margrethen SG  
phone 41-71-747-84-11  
info@feyco-coatings.ch

### UKRAINE

Interfarb - Ukraina GmbH  
79012 Lviv  
phone/fax 380-32-240-23-11  
phone 380-32-297-10-76  
interfarb@utel.net.ua

## AFRICA

### EGYPT

TIGER Coatings Egypt (LTD)  
Cairo, 11828, Egypt  
phone 20-2-46-65-14-55  
office.eg@tiger-coatings.com

### SOUTH AFRICA

FERRO Industrial Products (PTY) LTD  
Brakpan, South Africa  
phone 27-11-746-4000  
williams@ferrosa.co.za

## ASIA

### CHINA

TIGER Drylac (Taicang) Co. Ltd.  
Taicang, Jiangsu 215400  
phone 86-21-53-73-79-99  
office.cn@tiger-coatings.com

TIGER Coatings Chengdu  
Chengdu Branch, Xin Jin, Si Chuan Province  
phone 86-28-68-61-27-26  
office.cn@tiger-coatings.com

TIGER Coatings Fogang  
Fogang, Guangdong  
phone 86-76-34-27-71-11  
office.cn@tiger-coatings.com

### JAPAN

TIGER Drylac JAPAN K.K.  
Sagamihara, 252-1135  
phone 81-42-760-60-56  
office.jp@tiger-coatings.com

TIGER Drylac JAPAN K.K. Osaka office  
Nishinakajima Osaka, 532-0011  
phone 81-6-63-01-12-25

### MALAYSIA

TIGER Drylac MALAYSIA Sdn. Bhd.  
50250, Kuala Lumpur  
phone 60-3-20-39-43-15  
office.my@tiger-coatings.com

### TAIWAN

Vigorousport Int. Co., Ltd.  
Taichung  
phone 886-4-23-82-21-23  
office.tw@tiger-coatings.com

### THAILAND

Grand Siam Commercial Co., Ltd.  
Bangkok 10320  
phone 66-2-691-62-74  
apichart@samart.co.th

### VIETNAM

TIGER Drylac Vietnam Co., Ltd.  
Binh Duong Province  
phone 84-650-375-83-70  
office.vn@tiger-coatings.com

www.tiger-coatings.us  
www.tiger-coatings.com



Member of

Powder  
Coating  
Institute

A BETTER FINISH. FOR A BETTER WORLD.



# Drylac®



anodized effect  
Clear | 61/00015




anodized effect  
Champagne | 61/78003




anodized effect  
Black | 61/80079




anodized effect  
Light Bronze | 61/78002



anodized effect  
Medium Bronze | 61/68002



anodized effect  
Dark Bronze | 61/68001



candy transparent ▲  
Black Smoke Transparent | 49/80375



candy transparent ▲  
Brass | 49/20180



candy transparent ▲  
Gold | 49/20170



candy transparent ▲  
Transparent Green | 49/55730



candy transparent ▲  
Candy Lime Green | 49/54810



candy transparent ▲  
Candy Purple | 49/41480



candy transparent ▲  
Candy Blue | 49/43600



candy transparent ▲  
Transparent Blue | 49/46110



candy transparent ▲  
Candy Teal | 49/42130



candy transparent ▲  
Copper | 49/63130



candy transparent ▲  
Candy Raspberry | 49/31570



candy transparent ▲  
Candy Red | 49/33340



candy transparent ▲  
Transparent Red | 49/35810

\* Highly Reflective clear coat applied over Bengal Black 49/88888 as basecoat. \*\* 2-coat Dormant Transparent system. Applied as basecoat and top coated with a clear glossy top coat. | Clear Glossy Polyester TGIC 49/00530 | Clear Bengal Glossy Polyester TGIC 49/01234 | Clear Glossy Polyester TGIC 49/01234



reflective \*  
High Reflective Starlight | 44/00039




designer finish  
Quartzite Design Texture Matte | 44/10033



designer finish  
Lava Design Texture Matte | 44/60035




designer finish  
Breccia Design Texture Matte | 44/60034



designer finish  
Graphite Design Texture Matte | 44/80026



designer finish  
Emerald Fine Texture | 49/50028



designer finish  
Rust Fine Texture | 49/62711




designer finish  
Pyrite Fine Texture | 49/60015



dormant transparent \*\*  
Sparkle Granny Smith | 49/50032



dormant transparent \*\*  
Sparkle Green | 49/50024




dormant transparent \*\*  
Sparkle Burgundy | 49/30193



dormant transparent \*\*  
Sparkle Sky Blue | 49/40074



dormant transparent \*\*  
Sparkle Electric Blue | 49/40233



dormant transparent \*\*  
Blue | 49/40940



dormant transparent \*\*  
Violet | 49/41100



dormant transparent \*\*  
Sparkle Copper | 49/25002



dormant transparent \*\*  
Sparkle New Red | 49/30028



dormant transparent \*\*  
Sparkle Bomber Orange | 49/23531



dormant transparent \*\*  
Sparkle Light Orange | 49/25006

# SPECIAL EFFECTS



fluorescent ▲  
Yellow | 49/22200



fluorescent \*\*\* ▲  
Yellow | 49/21500



fluorescent ▲  
Neon Yellow | 59/20043



fluorescent ▲  
Green | 49/51340



fluorescent \*\*\* ▲  
Orange | 49/24080



fluorescent ▲  
Orange | 49/24610



fluorescent ▲  
Red Orange | 49/24620



fluorescent \*\*\* ▲  
Red | 49/30760



fluorescent ▲  
Neon Pink | 59/30075



fluorescent \*\*\* ▲  
Bright Pink | 49/30430



hammered  
Black | 39/80005




hammered  
Jet Black | 39/81420




hammered  
Capri | 39/40750



hammered  
Sapphire | 39/40002




hammered  
Light Silver | 39/90980




hammered  
Silver | 39/90020



hammered  
Gold Brown | 39/90280



hammered  
Malachite | 39/40003



hammered  
Reseda | 39/50002



hammered  
Sepia | 39/60002

\*\*\* 2-coat Fluorescent system. Applied over a high gloss smooth White Base Coat 49/11000.

▲ Candy Transparent and Single-coat Fluorescent finishes provide limited hiding. Candy Transparent and Fluorescent finishes have limited UV stability.